



## KRT-4

### Cable Retractor

---



KRT-4 is a cable retractor designed for installing in a meeting room, classroom or other AV site. KRT-4 extends a variety of common AV connector types and is easy to install and use

### FEATURES

---

**Provides Convenient and Easy-to-Use Connecting** - Pull the cable to extend up to 1.8m (5.9ft) from the installation site; the cable automatically locks in position to the desired length. When finished, pull the cable again and it retracts into the housing

**Improved Design** - Gentle retraction feature extends the life of the cable and connector

**Simple and Flexible Installation Options** - Install in compatible Kramer TBUS models or attach directly to the underside of a table with a few screws

**Available in Most Common AV Connector Types** - HDMI, VGA, audio (3.5mm), LAN, USB, USB-C, and DisplayPort



## TECHNICAL SPECIFICATIONS

---

|                                                       |                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ports                                                 | 1 Female Connector (fixed cable end) for one of the following: VGA, HDMI, Audio, LAN, USB-2.0, USB-3.0, USB-C, 3H2 or DisplayPort<br><br>1 Male Connector (retractor cable end) for one of the following: VGA, HDMI, Audio, LAN, USB-2.0, USB-3.0, USB-C, 3H2 or DisplayPort                                                                                                           |
| Video                                                 | Max. Resolution (KRT-4-H, KRT-4-DP) 4K@60Hz (4:4:4)                                                                                                                                                                                                                                                                                                                                    |
| KRT 4-3H2 Extender<br>Additional<br>Specifications    | Optional External Power Source – 5V, 150mA micro USB port<br><br>Maximum Range for 4K@60Hz (4:4:4) Resolution – 10m from extender to display<br><br>Maximum Range for 4K@60Hz (4:2:0) / 4K@30 – 15m from extender to display<br><br>Maximum Range for 1080p@60Hz – 15m from extender to display<br><br>Maximum Resolution – 4K@60Hz (4:4:4)<br><br>Content Protection – Up to HDCP 2.2 |
| KRT-4-U32/FF<br>Additional<br>Specifications          | Max. Data Rate: 10Gbps<br>Power Rating: 60W (20V, 3A)<br>Max. Resolution: 4K@60Hz                                                                                                                                                                                                                                                                                                      |
| Environmental<br>Conditions                           | Operating Temperature: 0° to +40°C (32° to 104°F)<br><br>Storage Temperature: -40° to +70°C (-40° to 158°F)<br><br>Humidity: 10% to 90%, RHL non-condensing                                                                                                                                                                                                                            |
| Regulatory<br>Compliance<br>(Standards<br>Compliance) | Safety CE<br><br>Environmental RoHs, WEEE                                                                                                                                                                                                                                                                                                                                              |
| Enclosure                                             | Type: Plastic (ABS PC)<br><br>Color: Black<br><br>Fixed Cable Length: 20cm (7.9")<br><br>Retractable Cable Length: 180cm (71")                                                                                                                                                                                                                                                         |
| Accessories                                           | Included: 4 M3x8 screws, WCP-(KRT) insert kit                                                                                                                                                                                                                                                                                                                                          |
| Product Dimensions                                    | 20.40cm x 19.20cm x 3.63cm (8.03" x 7.56" x 1.43" ) W, D, H                                                                                                                                                                                                                                                                                                                            |
| Product Weight                                        | 0.4kg (0.9lbs) approx                                                                                                                                                                                                                                                                                                                                                                  |
| Shipping Dimensions                                   | 34.20cm x 26.60cm x 7.20cm (13.46" x 10.47" x 2.83" ) W, D, H                                                                                                                                                                                                                                                                                                                          |
| Shipping Weight                                       | 0.5kg (1.1lbs) approx                                                                                                                                                                                                                                                                                                                                                                  |



## CONFIGURATIONS

|              |                                                                   |
|--------------|-------------------------------------------------------------------|
| KRT-4-H      | High-speed HDMI with Ethernet cable retractor with HDMI connector |
| KRT-4-DP     | DisplayPort cable retractor with DisplayPort connector            |
| KRT-4-VGA    | VGA cable retractor with VGA connector                            |
| KRT-4-LAN    | CAT 6 cable retractor with RJ-45 connector                        |
| KRT-4-A      | Audio cable retractor with 3.5mm mini jack connector              |
| KRT-4-USB-3  | USB 3.0 cable retractor with USB type-A connector                 |
| KRT-4-3H2    | High-Speed HDMI 4K cable retractor with PT-3H2 signal extender    |
| KRT-4-U32/FF | USB type-C cable retractor for data, video, and charging          |